

Number of participants by generation and time (wave) of interview

Generation 1 (G1)

Wave 1 (W1) **148** G1 were interviewed at Wave 1. 87 probands and 61 spouses of (N=148) probands were interviewed.

Wave 2 (W2) **118** G1 were interviewed at Wave 2. 70 probands and 48 spouses of (N=118) probands were interviewed.

Wave 3 (W3) **124** G1 were interviewed at Wave 3. 73 probands and 51 spouses of (N=124) probands were interviewed.

Wave 4 (W4) G1 did not participate in Wave 4. (N=0)

Wave 5 (W5) **31** G1 were interviewed at Wave 5. 20 probands and 11 spouses of (n=31) probands were interviewed. 29 usable structural and 27 usable functional scans were collected.

Wave 6 (W6)
(in progress)

Generation 2 (G2)

Wave 1 (W1) 220 participated
(N=220)

Wave 2 (W2) **174** of original 220 G2 who had participated at Wave 1 participated
(N=217) 43 additional G2 participated

Wave 3 (W3) **182** of original 220 G2 who had participated at W1 participated
(N=224) 42 additional G2 participated

Wave 4 (W4) **152** of original 220 G2 who had participated at Wave 1 participated
(N=198) 46 additional G2 participated. 110 participated in the startle response testing and 108 had usable startle response data. 111 participated in the EEG testing 87 were right-handed and usable.

Wave 5 (W5) **72** of original 220 G2 who had participated at Wave 1 were clinically
(N=93) assessed at Wave 5. 19 additional G2 were clinically assessed. 93 usable structural and 84 usable functional scans were collected.

Wave 6 (W6)
(in progress)

Generation 3 (G3)

Wave 3 (W3) **90** G3 participated
(N=90)

Wave 4(W4) **75** of the original 90 G3 participated
(N=156) 81 additional G3 participated. A total of 171 grandchildren participated at either Wave 3 or Wave 6. 10 were not biologically related to the proband (i.e., stepchildren) leaving 161 grandchildren. 75 participated in startle response testing and 70 had usable startle response data. 74 participated in EEG testing and 49 were usable and right handed.

Wave 5(W5) **61** of the G3 who participated at Wave 3 or Wave 4 participated
(N=78) 17 additional G3 participated. 78 usable structural and 69 usable functional scans were collected.

Wave 6 (W6)
(in progress)

Spouses of Generation 2 (Married-ins)

Wave 3 (W3) **33** married-ins were interviewed.
(N=33)

Wave 4 (W4) **43** married-ins were interviewed.
(N=42)

Wave 5 (W5) **23** married-ins were interviewed. 23 had usable structural scans and 23
(N=23) had usable functional scans.

Wave 6 (W6)
(in progress)